

Venue info & technical specs – Hallen (Main Hall) @ DOGA

Venue type	Large industry hall
Capacity	390 standing / 350 seated
Address	Hausmanns gate 16, 0182 Oslo, Norway
Contact	Switchboard: +47 232 92 870 e-mail: utleie@dogo.no web: www.doga.no
Parking	DOGA does not have any parking spaces. Please contact us for options at least 2 weeks prior to arrival.
Load in	Direct access from backyard. Backyard not accessible by semi-trailer. Gate dimensions (W x H): 249 cm x 368 cm
Facilities	5 unisex restrooms Unattended wardrobe with 10 lockers 130 m ² adjacent area suitable for mingling, catering e.a.
Measurements	Depth: 34 m Width: 10 m Height: 8,5 m (12 m to highest ceiling point)
Stage	13x 2x1 m Nivtec stage modules 1x 1x1 m Nivtec stage modules 20 cm/40cm/80 cm stage legs Stairs and black skirting Carpet on demand
Rigging	6x 9,5 m motorized flown trusses distributed across venue ceiling Max payload per truss (SWL) 500 kg
Electrical power	2x 63A/23V outlets – 1 in each far end of the venue 16A outlets distributed across venue 6x dimmable outlets in every truss
Curtains	Motorized blackout curtains

Technical equipment

House lighting	<p>36 channel dimmer system</p> <p>1x Jands Stage CL lighting console (24 assignable faders)</p> <p>32x ETC Source Four profiles 575W</p> <p>1x ETC Source Four profiles 750W</p> <p>20x Xled HD</p>
House PA	<p>Renkus-Heinz Iconix digitally steerable line array</p> <p>Short end: 2x IC24-R-II</p> <p>Long end: 5x IC8-R-II</p> <p>Subs: 2x CF15S-5 15" active subwoofers</p>
Audio mixer	<p>Allen & Heath dLive DM0</p> <p>1x C1500 control surface</p> <p>1x DX168 I/O expander</p> <p>1x IP8 remote control</p> <p>1x IP6 remote control</p>
Wireless mics	<p>Shure Microflex system</p> <p>1x Shure SM58 handheld microphone</p> <p>7x Shure belt packs with Countryman headset microphones</p> <p>Additional microphones available upon request</p>
AV equipment	<p>1x Digital Projection M-vision Laser 18K projector (18.000 ANSI lumens, 16:10)</p> <p>2x Epson EB-Z9800W projector (8300 ANSI lumens, 16:10)</p> <p>2x Monoblox 32 (464x290 16:10) canvas</p> <p>3x Xvision HDMI to HDBaseT converters</p> <p>End wall is used as canvas.</p>

Additional in-house audio equipment:

Speakers/monitors	<p>2x Renkus-Heinz CF/CFX151 Two-Way Complex Conic Loudspeakers</p> <p>4x Mackie SRM550 1600W 12" active loudspeakers/monitors</p>
-------------------	--



Mixers	3x Allen & Heath ZED-10 analog mixer 1x Soundcraft EPM8 analog mixer
DI boxes	3x LA Audio DBT Plus (stereo) 3x Klark Teknik DN100 (mono) 1x Audiodobx Phono-XLR (stereo)
Microphones	3x Shure SM58
Microphone stands	5x K&M long tripods w/ boom 2x K&M short tripods w/ boom